Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI Group Art Unit: 2135

Attorney Docket: 27153

In the Claims:

1. (Currently Amended) A method for computer workstation based information protection, the method comprising:

- a) monitoring a user's actions on said computer workstation-;
- b) <u>using identifiers from an identifier database</u>, performing a statistical analysis of content in use by said user <u>using identifiers from a content identifier</u> <u>database</u>, in association with a given monitored action, to identify confidential information in said content, given confidential information being associated with respective predefined policies;
- c) analyzing said <u>monitored</u> actions with respect to a <u>respective</u> predefined policy associated with <u>said any identified</u>-confidential information <u>identified</u> by <u>said analysis</u>, to determine whether said actions prejudice said confidential information; and
- d) executing said policy in accordance with the results of said analysis determination to control said actions.
- 2. (Original) A method according to claim 1, wherein said policy comprises restrictions on at least one of the following actions: print, save, copy, autosave, fax.
- 3. (Original) A method according to claim 1, wherein said monitoring said user's actions on said workstation comprises detection of indications of attempts at tampering.
- 4. (Original) A method according to claim 3, wherein said detection of indications of attempts at tampering comprises obtaining logical indications or statistical indications.

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135 Attorney Docket: 27153

5. (Original) A method according to claim 3, wherein said detection of indications of attempts of tampering comprises detection of at least one un-certified

add-in.

6. (Original) A method according to claim 5, wherein said detection

includes noting that said un-certified add-in is hooked to events of a local operating

system.

7. (Original) A method according to claim 3, wherein said detection of

indications of attempts at tampering comprises detection of at least one debugging

technique.

8. (Original) A method according to claim 7, wherein said debugging

technique comprises use of any of: a debugger, a virtual machine, a software emulator,

a software trap, and a remote administration tool.

9. (Original) A method according to claim 3, wherein said policy

comprises restrictions of actions made available to said user upon said detection of

indications of attempts of tampering.

10. (Original) A method according to claim 9, wherein said restrictions of

user's actions upon said detection of indications of attempts of tampering comprise

applying restrictions on actions within a software application operable to process said

information.

11. (Original) A method according to claim 3, wherein said execution of

said policy comprises performing at least one action upon detection of indications of

attempts of tampering.

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135

Attorney Docket: 27153

12. (Original) A method according to claim 11, wherein said actions

comprise at least one of the following: encrypting at least one buffer, and encrypting

at least one shared memory.

13. (Original) A method according to claim 11, wherein said actions

comprise preventing the decryption of encrypted digital content.

14. (Original) A method according to claim 1, wherein said pre-defined

policy is defined with respect to a software application on said user's workstation.

15. (Original) A method according to claim 1, wherein said policy

comprises reporting about attempts to perform actions that do not comply with an

organizational policy or about attempts to perform actions that are suspected to not

comply with the organizational policy.

16. (Original) A method according to claim 1, wherein said policy

comprises performing logging of attempts to perform actions that that do not comply

or are suspected to not comply with the organizational policy.

17. (Original) A method according to claim 1, wherein said information

protection comprises protecting information held within a software data processing

application able to process said information.

18. (Original) A method according to claim 17, wherein said software data

processing application operates in conjunction with a software client.

19. (Original) A method according to claim 17, wherein said software

client is a tamper-resistant software client.

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI Group Art Unit: 2135

Attorney Docket: 27153

20. (Original) A method according to claim 17, wherein said software client is operable to monitor said user's actions and to execute said policy.

- 21. (Original) A method according to claim 17, wherein said software client is operable to detect information based on statistical identifiers residing in a specialized database.
- 22. (Original) A method according to claim 17, wherein said software client is further operable to detect events of said software application.
- 23. (Original) A method according to claim 22, wherein said events comprise events required for any of: printing said information; copying said information; storing said information, and displaying said information.
- 24. (Original) A method according to claim 1, wherein said policy further comprising managing usage rights.
- 25. (Original) A method according to claim 24, wherein said usage rights are determined according to any of: the classification of the document; the classification level of the user, and the authentication level of the user.
- 26. (Original) A method according to claim 24, wherein said usage rights comprise any of: viewing at least part of said information; modifying at least part of said information; sending at least part of said information to a recipient; storing at least part of said information; storing at least part of said information by an application; storing at least part of said information by a file system; storing at least part of said information in a portable device; storing at least part of said information in a removable media; storing at least part of said information portable storage device that is connected to said workstation using a USB port; pasting at least part of said

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135

Attorney Docket: 27153

information into a document; printing at least part of said information; printing at least

part of said information to file; printing at least part of said information to a fax, and

printing a screen view document.

27. (Original) A method according to claim 24 wherein said policy further

comprises definitions of actions to be performed.

28. (Original) A method according to claim 27, wherein said actions

comprise any of: enabling usage of at least part of said information; disabling usage of

at least part of said information; restricting the usage of at least part of said

information, according to a pre-determined set of restrictions; reporting about the

usage of at least part of said information, and monitoring the usage of at least part of

said information.

29. (Original) A method according to claim 28, wherein said restriction of

usage imposes requiring encryption of at least part of said protected information.

30. (Original) A method according to claim 29, wherein said required

encryption is such that corresponding encrypted information can be decrypted only by

a secure client.

31. (Original) A method according to claim 28, wherein said restriction of

usage requires said protected information to reside on a secure server.

32. (Original) A method according to claim 31, comprising arranging a

connection between said secure server and said workstation such that the transport

between said secure server and said workstation is protected.

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135 Attorney Docket: 27153

33. (Original) A method according to claim 32, wherein said protected transport comprises an encrypted transport.

- 34. (Original) A method according to claim 29, wherein said encryption of protected information further comprising encryption of a file comprising at least part of said protected information wherein said file is at least one of the following: temporary file and auto-recovery file.
- 35. (Original) A method according to claim 31, wherein said protected information further comprises a file comprising at least part of said protected information, wherein said file comprises any of temporary file and auto-recover file.
- 36. (Original) A method according to claim 17, wherein said software client authenticates itself to a server before at least some of the sessions.
- 37. (Original) A method according to claim 36, wherein said authentication depends on a classification level assigned to said protected information.
- 38. (Original) A method according to claim 36, wherein said authentication comprises any of: password based authentication; and network address based authentication.
- 39. (Original) A method according to claim 17, wherein said software client comprises components that can be automatically replaced.
- 40. (Original) A method according to claim 31, wherein said secure server employs cryptographic encryption of at least one file containing said protected information.

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135 Attorney Docket: 27153

- 41. (Original) A method according to claim 31, wherein communication with said server is substantially transparent to said user.
- 42. (Original) A method according to claim 17, wherein in accordance with said policy said protected information is encrypted utilizing the encryption capabilities of said software application.
- 43. (Original) A method according to claim 42, wherein said software application operable to process said information is any of: a word processing application; Microsoft "word"; Open office "word", and Star office "word".
- 44. (Original) A method according to claim 17, wherein said software application comprises a control flag imparting a status of either read only or lock to a corresponding file, and wherein file modification within said software application which is operable to process said information is disabled via said flag.
- 45. (Original) A method according to claim 44, wherein said disabling of said file modification is controlled by said policy.
- 46. (Original) A method according to claim 1, wherein said policy comprises adding forensic information to said protected information.
- 47. (Original) A method according to claim 17, wherein said software client replaces the clipboard functionality of said software application thereby to process said protected information with a secure clipboard functionality.
- 48. (Original) A method according to claim 47, wherein said protected information copied into said secure clipboard is stored in an internal data structure inaccessible to other applications.

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135

Attorney Docket: 27153

49. (Original) A method according to claim 17, wherein said software

client is installed automatically from a remote server.

50. (Original) A method according to claim 49, wherein said installation of

said software client utilizes anti-virus installation infrastructure.

51. (Original) A method according to claim 17, wherein updates of said

software client utilize anti-virus update infrastructure.

52. (Original) A method according to claim 17, wherein at least part of the

software code of said software client resides in an encrypted form.

53. (Original) A method according to claim 17, wherein at least part of the

software code of said software client is attached to hardware of said computer

workstation.

54. (Original) A method according to claim 17, wherein said software

client is operable to automatically add information to said protected information in

accordance with said policy.

55. (Original) A method according to claim 54, wherein said added

information comprises any of: a document header; a document footer; and a textual

disclaimer.

(Original) A method according to claim 17, wherein said client 56.

software is operable to open file that comprises said protected information only while

connected to at least one server.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135 Attorney Docket: 27153

- 57. (Original) A method according to claim 56, wherein said servers enforce a policy with respect to said protected information.
- 58. (Original) A method according to claim 57, wherein said policy implies a set of restrictions regarding the usage of the said protected information.
- 59. (Original) A method according to claim 17, wherein said client software is operable to check that it is connected to a predetermined server before decrypting a file that comprise said protected information.
- 60. (Original) A method according to claim 59, wherein said servers enforce a policy with respect to said protected information, and wherein said policy comprises a set of restrictions regarding the usage of the said protected information.
- 61. (Original) A method according to claim 56, wherein at least two servers are operable to define said policy.
- 62. (Original) A method according to claim 61, wherein, in the event of two or more conflicting policies being found, a strictest one of the policies is identified and used.
- 63. (Original) A method according to claim 62, wherein in the event of two or more conflicting policies being found, a policy comprising the union of restrictions of said policies is used.
- 64. (Original) A method according to claim 56, wherein connection to at least two servers are required in order to determine said policy.

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135 Attorney Docket: 27153

65. (Original) A method according to claim 56, wherein said server authenticates the integrity of said client by requiring a cryptographic hash of at least part of said client's software.

66. (Currently Amended) A method according to claim 66_65, wherein said cryptographic hash is with respect to a random address in said clients software.

67. (Original) A method according to claim 56, wherein said client is entangled with said server's software, such that a functioning stand-alone copy of said client's software does not exist.

68. (Original) A method according to claim 56, wherein said method comprises at least two levels of protection, and wherein said levels of protection are operable to be configured as a function of the secrecy of said protected information.

69. (Original) A method according to claim 68, wherein in the most secure of said levels of protection, said protected information can only be accessed while connected to said server.

70. (Original) A method according to claim 68, wherein in at least one of said levels of protection, said information can be accessed for a limited time after the connection with said server was terminated.

71. (Original) A method according to claim 68, wherein in at least one of said levels of protection, said information can be accessed until the end of a current login session.

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135 Attorney Docket: 27153

72. (Original) A method according to claim 68, wherein in at least one of said levels of protection, said information can be unlimitedly accessed after the server approves said information.

- 73. (Currently Amended) A method for information protection, said information comprising information items, said information being for usage on a computer workstation, comprising:
- a) defining an information protection policy with respect to an information item, said defining comprising b) determining at least one measure measures required in said policy to protect said information item according to said policy,;
- c) <u>using identifiers obtained from an content identifier database</u> performing a statistical analysis of content in use on said computer workstation to identify said information item, and
- d) allowing said usage on a computer workstation of content comprising said information item only while said required measures <u>in said policy</u> are being applied.
- 74. (Original) A method according to claim 73, wherein said information protection measures comprises protecting information within a client software application.
- 75. (Original) A method according to claim 74, wherein said protecting information within a client software application comprises disabling at least one of the controls of said application.
- 76. (Original) A method according to claim 73, wherein said information protection measures comprises encryption of the memory of a graphic card or a video

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

card.

Examiner: Thomas A. GYORFI

Group Art Unit: 2135 Attorney Docket: 27153

- 77. (Original) A method according to claim 73, wherein said information protection measures comprises forcing a video card or a graphic card to a mode that causes no meaningful information to be stored in said video card's memory.
- 78. (Original) A method according to claim 73, wherein said information protection measures comprises scanning at least one storage device and identifying the existence of pre-defined information objects.
- 79. (Original) A method according to claim 78, wherein said pre-defined information objects comprise confidential information objects.
- 80. (Original) A method according to claim 73, wherein said information protection policy comprises at least one rule regarding at least one event of at least one software application operable to handle said information.

81 - 106. (Cancelled)

- (Currently Amended) A method for computer workstation based 107. information protection, the method comprising:
- a) detecting an event occurring at said workstation, said event being associated with content,;
- b) performing a statistical analysis of said content associated with said event to identify confidential information within said content, said statistical analysis utilizing an identifier extracted from an content identifier database,; and
- c) employing information protection based on an assessment of an importance of said event to protection of said confidential information.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135 Attorney Docket: 27153

- 108. (Original) A method according to claim 107, further comprising: handling an event, said event being designated as directing information protection, and employing a said information protection technique in reaction to said event.
- 109. (Original) A method according to claim 108, wherein said event comprise any of: loading a local operating system; loading an application; user action; presenting a specific information into the system; an event generated by another system; suspicious activity; operating system time event; and a network time event.
- 110. (Currently Amended) A system for computer workstation based information protection, the system comprising:
- i) a monitor configured for monitoring a user's actions on said computer workstation, said actions being associated with content;
- ii) an analyzer <u>associated with an content identifier database, said</u> <u>analyzer configured for:</u>

performing a statistical analysis of a-said associated content in use by said user using content identifiers from said database to identify confidential information in said content, and for

analyzing said actions with respect to a pre-defined policy associated with said <u>identified</u> confidential information to determine whether said actions prejudice said information;—and

- iii) a policy execution module configured for executing said policy in accordance with the results of said analysis to control said actions in accordance with said policy.
- 111. (Original) A system according to claim 110, wherein said policy comprises restrictions on at least one of the following actions: print, save, copy, autosave, fax.

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135

Attorney Docket: 27153

112. (Original) A system according to claim 110, wherein said monitoring

said user's actions on said workstation comprises detection of indications of attempts

at tampering.

113. (Original) A system according to claim 112, wherein said detection of

indications of attempts of tampering comprises detection of at least one un-certified

add-in.

114. (Original) A system according to claim 113, wherein said detection of

indications of attempts at tampering comprises detection of at least one debugging

technique.

115. (Original) A system according to claim 112, wherein said policy

comprises restrictions of actions made available to said user upon said detection of

indications of attempts of tampering.

116. (Original) A system according to claim 115, wherein said restrictions

of user's actions upon said detection of indications of attempts of tampering comprise

applying restrictions on actions within a software application operable to process said

information.

117. (Original) A system according to claim 116, wherein said software data

processing application operates in conjunction with a tamper-resistant software client.

118. (Original) A system according to claim 117, wherein said software

client is operable to monitor said user's actions and to execute said policy.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135 Attorney Docket: 27153

119. (Original) A system according to claim 117, wherein said software client is operable to detect information based on statistical identifiers residing in a specialized database.

- 120. (Original) A system according to claim 117, wherein said software client is further operable to detect events of said software application.
- 121. (Original) A system according to claim 110, wherein said policy further comprising managing usage rights.
- 122. (Original) A system according to claim 121, wherein said usage rights comprise any of: viewing at least part of said information; modifying at least part of said information; sending at least part of said information to a recipient; storing at least part of said information by an application; storing at least part of said information by a file system; storing at least part of said information in a portable device; storing at least part of said information in a removable media; storing at least part of said information portable storage device that is connected to said workstation using a USB port; pasting at least part of said information into a document; printing at least part of said information; printing at least part of said information to a fax, and printing a screen view document.
- 123. (Original) A system according to claim 117, wherein said client software is operable to check that it is connected to a predetermined server before decrypting a file that comprise said protected information only while connected to at least one server.

In re Application of: Ariel PELED et al.

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135

Attorney Docket: 27153

124. (Original) A system according to claim 123, wherein said servers enforce a policy with respect to said protected information, and wherein said policy comprises a set of restrictions regarding the usage of the said protected information.

- 125. (Original) A system according to claim 116, wherein said software application operable to process said information is any of: a word processing application; Microsoft "word", Open office "word", and Star office "word".
- 126. (Original) A system according to claim 117, wherein said software client replaces the clipboard functionality of said software application thereby to process said protected information with a secure clipboard functionality.
- 127. (Original) A system according to claim 117, wherein said software client is installed or updated automatically from a remote server.
- 128. (Original) A system according to claim 127, wherein said installation or updates of said software client utilize anti-virus installation infrastructure.
- 129. (Original) A system according to claim 127, wherein said software client is operable to automatically add information to said protected information in accordance with said policy.
- 130. (Currently Amended) A system for information protection, said information comprising information items, said information being for usage on a computer workstation, the system comprising:
- a) a policy reference monitor <u>configured</u> for <u>identifying particular information</u> items as requiring <u>protection</u>, <u>defining an respective</u> information protection <u>policy</u> <u>policies</u> with respect to <u>certain-said identified</u> information item items, said defining <u>comprising and determining the measures</u> required to protect said information

Serial No.: 10/748,178 Filed: December 31, 2003

Office Action Mailing Date: June 3, 2008

Examiner: Thomas A. GYORFI

Group Art Unit: 2135

Attorney Docket: 27153

according to said policy, said policy reference monitor further configured to place in an content identifier database an identifier for any such information for which a policy has been defined;

b) a policy execution module configured for using said identifiers in a statistical analysis of content being used at said workstation to identify information items for which a policy has been defined and for allowing said usage on a computer workstation of information comprising said items for which an information protection policy is defined only while said required measures are being applied.

131 - 146. (Cancelled)

- 147. (Previously Presented) A method according to claim 1, wherein controlling a user's action comprises at least one of: preventing said action, modifying said action, restricting, said action, monitoring said action, or logging said action.
- (Previously Presented) A system according to claim 110, wherein to control an action comprises at least one of: preventing said action, modifying said action, restricting, said action, monitoring said action, or logging said action.